



SEMITÜRK



BÜYÜKYÜKSEL DAMPER VE HİDROLİK MAK. SAN. TİC. LTD. ŞTİ.

TRADEMARK NAME: **SEMITÜRK**

FEVZİ ÇAKMAK MAH. MEDCEZİR CAD. NO: 8/116 B BLOK KONYA / TÜRKİYE

www.yukseldamper.com.tr - www.semiturk.com.tr

E-mail: info@yukseldamper.com.tr - Tel: +90 332 239 1860 / +90 530 610 1432


**BÜYÜKYÜKSEL**

DAM.HİD.MAK.SAN.TİC.LTD.ŞTİ.

SEMITÜRK

MODEL:

STCT20SJ31 COTTON TRANSPORT TRAILER

**COTTON TRANSPORT TRAILER****STCT20SJ31**

Weights & Dimensions (± %5)	Product Type	Cotton Transport Trailer Triple Wagon Side Tipper Semi-trailer Side Dump Semi Trailer
	Total Length	13.550 mm (optional size options)
	Total Width	2.550 mm (optional size options)
	Total Height	3.720 mm (optional size options)
	Tare Weight / Volume	11.000 kg / 62 m ³ usable volume (varies depending on optional options)
Body / Chassis		The main structure, chassis and other metal parts are produced as 'I-shaped' from 'ST37', 'ST52', 'S700MC', 'Hardox' sheet or other material options according to customer needs
Axles		2 axle, Each one 12 tons capacity, Drum or optional disc brake type, 22.5" rim size
Suspension System		Mechanical suspension system hardware or optional other compatible combinations
Tires		8+1 unit 12 R22.5" size tubeless tyre and 22.5x9.00" size rim set or other combinations
Hydraulic System		Right and left tipping mechanisms and upper covers are hydraulically controlled
Brake System		Dual circuit (2-line) brake hardware, 2S/2M EBS (Electronic Braking System)
Electrical Hardware		24 V lighting hardware, 2x7 pins electrical socket, 2 tail light, 4x2 side, 2 front lamps
King-Pin		Bolt-connected 3,5" head (changeable with 2" head) king pin, SAE/DIN norms, D:190-260 kN
Landing Legs		Mechanically two-speed semi-trailer landing gear set with a capacity of 24 tons
Paint (with up to date RAL colour options)		Metal parts are painted 2-layers anti-corrosive epoxy primer then top acrylic paint coat
Standard Accessories		4 x FRP mudguards, 1 x Axle nut removal tool, 1 x Spare tire with holder, 1 x Fire extinguisher tube cabinet, 1 x Water tank "chrome nickel or plastic", 1 x Wheel chock and holder, Lockable tool box, Lateral protection devices, English user manual

BÜYÜKYÜKSEL DAMPER VE HİDROLİK MAK. SAN. TİC. LTD. ŞTİ.

TRADEMARK NAME: **SEMITÜRK**

FEVZİ ÇAKMAK MAH. MEDCEZİR CAD. NO: 8/116 B BLOK KONYA / TÜRKİYE

www.yukseldamper.com.tr - www.semiturk.com.tr

E-mail: info@yukseldamper.com.tr - Tel: +90 332 239 1860 / +90 530 610 1432

**BÜYÜKYÜKSEL**

DAM.HİD.MAK.SAN.TİC.LTD.ŞTİ.

SEMITÜRK



BÜYÜKYÜKSEL

DAM.HİD.MAK.SAN.TİC.LTD.ŞTİ.

SEMITÜRK

MODEL:

STCT40SJ31 COTTON TRANSPORT DOUBLE TRAILER



SEMITÜRK



BÜYÜKYÜKSEL DAMPER VE HİDROLİK MAK. SAN. TİC. LTD. ŞTİ.

TRADEMARK NAME: **SEMITÜRK**

FEVZİ ÇAKMAK MAH. MEDCEZİR CAD. NO: 8/116 B BLOK KONYA / TÜRKİYE

www.yukseldamper.com.tr - www.semiturk.com.tr

E-mail: info@yukseldamper.com.tr - Tel: +90 332 239 1860 / +90 530 610 1432



BÜYÜKYÜKSEL

DAM.HİD.MAK.SAN.TİC.LTD.ŞTİ.

SEMITÜRK


**BÜYÜKYÜKSEL**

DAM.HİD.MAK.SAN.TİC.LTD.ŞTİ.

SEMITÜRK

MODEL:

STCT40SJ31 COTTON TRANSPORT DOUBLE TRAILER

**Cotton Transport Double Trailer****STCT40SJ31**

Weights & Dimensions (± %5)	Product Type	Cotton Transport Trailer 4 Wagon with Double Semi-trailer Side Dump Semi Trailer
	Total Length	19.654 mm (optional size options)
	Total Width	2.530 mm (optional size options)
	Total Height	3.720 mm (optional size options)
	Tare Weight / Volume	15.000 kg / 82.7 m³ usable volume (varies depending on optional options)
Body / Chassis		The main structure, chassis and other metal parts are produced as 'I-shaped' from 'ST37', 'ST52', 'S700MC', 'Hardox' sheet or other material options according to customer needs
Inter-link of 2 Trailers		King-pin (at front of rear trailer) and fifth-wheel (at rear of front trailer) connection
Axles		2 + 2 axle, Each one 12 tons capacity, Drum or optional disc brake type, 22.5" rim size
Suspension System		Mechanical suspension system hardware or optional other compatible combinations
Tires		(8+1) + (8+1) unit 12 R22.5" tubeless tyre and 22.5x9.00" size rim set or other combinations
Hydraulic System		Right and left tipping mechanisms and upper covers are hydraulically controlled
Brake System		Dual circuit (2-line) brake hardware, 2S/2M EBS (Electronic Braking System)
Electrical Hardware		24 V lighting hardware, 2x7 pins electrical socket, 2 tail light, 4x2 side, 2 front lamps
King-Pin		Bolt-connected 3,5" head (changeable with 2" head) king pin, SAE/DIN norms, D:190-260 kN
Landing Legs		Mechanically two-speed semi-trailer landing gear set with a capacity of 24 tons
Paint (with up to date RAL colour options)		Metal parts are painted 2-layers anti-corrosive epoxy primer then top acrylic paint coat
Standard Accessories		4 x FRP mudguards, 1 x Axle nut removal tool, 1 x Spare tire with holder, 1 x Fire extinguisher tube cabinet, 1 x Water tank "chrome nickel or plastic", 1 x Wheel chock and holder, Lockable tool box, Lateral protection devices, English user manual

BÜYÜKYÜKSEL DAMPER VE HİDROLİK MAK. SAN. TİC. LTD. ŞTİ.

TRADEMARK NAME: **SEMITÜRK**

FEVZİ ÇAKMAK MAH. MEDCEZİR CAD. NO: 8/116 B BLOK KONYA / TÜRKİYE

www.yukseldamper.com.tr - www.semiturk.com.tr

E-mail: info@yukseldamper.com.tr - Tel: +90 332 239 1860 / +90 530 610 1432

**BÜYÜKYÜKSEL**

DAM.HİD.MAK.SAN.TİC.LTD.ŞTİ.

SEMITÜRK